

## 国際学会発表

- 1, Nagamine R, White SE, Whiteside LA  
Patellar tracking measurement study in normal knees  
The 38<sup>th</sup> annual meeting of the Orthopaedic Research Society.  
February, 1992 Washington D.C, USA
- 2, Nagamine R, White SE, Whiteside LA  
Patellar tracking after total knee arthroplasty. : The effect of tibial tray malrotation and articular surface configuration.  
The 38<sup>th</sup> annual meeting of the Orthopaedic Research Society.  
February, 1992 Washington D.C, USA
- 3, Nagamine R, White SE, Whiteside LA  
Effect of medial displacement of the tibial tubercle on patellar position after rotational malposition of the femoral component in total knee arthroplasty.  
The 38<sup>th</sup> annual meeting of the Orthopaedic Research Society.  
February, 1992 Washington D.C, USA
- 4, Nagamine R, Whiteside LA, White SE, Otani T  
The effect of patellar resurfacing on patellar tracking in total knee arthroplasty  
The 60<sup>th</sup> annual meeting of the American Association of Orthopaedic Surgeons  
February 18-23, 1993 San Francisco, USA
- 5, Nagamine R, White SE, McCarthy DS, Whiteside LA  
Effect of rotational malposition of the femoral component on knee stability characteristics after total knee arthroplasty  
The 39<sup>th</sup> annual meeting of the Orthopaedic Research Society.  
February 18-23, 1993 San Francisco, USA
- 6, Nagamine R, White SE, Whiteside LA  
The effect of posterior slope of the proximal tibia on initial stability of the tibial component in total knee arthroplasty.  
The 40<sup>th</sup> annual meeting of the Orthopaedic Research Society.  
February 21-24, 1994 New Orleans, USA
- 7, Nagamine R, Miura H, Urabe K, Matsuda S and Iwamoto Y  
Effect of the tibial tuberosity position on the tension in the patellar ligament and the patellofemoral joint reaction force.  
The 3<sup>rd</sup> combined meeting of Orthopaedic Research Society.  
September 28-30, 1998, Hamamatsu, Japan
- 8, Nagamine R, Miura H, Urabe K, Matsuda S and Iwamoto Y  
A new patella cutting guide in total knee arthroplasty  
The 12<sup>th</sup> Annual International Symposium for Technology in Arthroplasty.  
September 23 - 25, 1999 Chicago, IL, USA

- 9, Nagamine R, Miura H, Urabe K, Matsuda S, Hirata G and Iwamoto Y  
A new method for a precise patella resection in total knee arthroplasty.  
The 46<sup>th</sup> annual meeting of the Orthopaedic Research Society.  
Orlando, Florida, USA, March 12-15, 2000
  
- 10, Nagamine R, Kubota H, Shuto T, Nakashima Y, Hirata G and Iwamoto Y  
Quantification of bone volume on radiographs of the hands using the NIH image.  
The 3<sup>rd</sup> combined meeting of the Japanese and American Society for Surgery of the Hand Maui, Hawaii, USA, March 25-28, 2000
  
- 11, Nagamine R, Inoue S, Miura H, Urabe K, Matsuda S and Iwamoto Y  
Difference of cement volume between medial and lateral tibial condyles after total knee arthroplasty.  
BOA-JOA congress 2000 London, UK, October 3-6, 2000
  
- 12, Maeda T, Yamada H, Nagamine R, Shuto T, Nakashima Y, Hirata G and Iwamoto Y  
Relevance of CD4+CD57+ T cells to the activity of rheumatoid arthritis.  
The 47<sup>th</sup> annual meeting of the Orthopaedic Research Society.  
San Francisco, California, USA, February 25-28, 2001
  
- 13, Moro-oka T, Matsuda S, Miura H, Higaki H, Nagamine R, Urabe K, Mawatari T, Kawano T and Iwamoto Y  
Patellar tracking in deep knee flexion  
The 47<sup>th</sup> annual meeting of the Orthopaedic Research Society.  
San Francisco, California, USA, February 25-28, 2001
  
- 14, Matsuda S, Miura H, Nagamine R, Urabe K, Moro-oka T and Iwamoto, Y  
Transepicondylar axis in normal, varus, and valgus knee  
The 47<sup>th</sup> annual meeting of the Orthopaedic Research Society.  
San Francisco, California, USA, February 25-28, 2001
  
- 15, Nagamine R, Miura H, Urabe K, Matsuda S, Hirata G and Iwamoto Y  
A new method to decide the degree of the external rotation of the femoral component in total knee arthroplasty by means of anteroposterior radiograph of the lower extremity.  
4<sup>th</sup> combined meeting of the orthopaedic research society Rhodes, Greece, June 1-3, 2001
  
- 16, Nagamine R, Nakashima S, Akagi H, Maekawa M and Kamo Y  
Difference of anatomic configuration between Asian people and Caucasian should be recognized in total knee arthroplasty.  
The 3<sup>rd</sup> scientific meeting of Asia-Pacific Arthroplasty Society,  
Seoul, Korea, September 13-16, 2001

- 17, Nagamine R, Miura H, Matsuda S and Iwamoto Y  
Coronal and axial alignment of the femoral component in total knee arthroplasty for medial osteoarthritic knees with varus deformity in Japanese.  
48<sup>th</sup> annual meeting of Orthopaedic Research Society,  
Dallas, Texas, USA, February 10-13, 2002
- 18, Nagamine R  
Coronal and axial alignment of the lower extremities in Japanese patients with varus medial femorotibial osteoarthritis.  
16<sup>th</sup> annual Vail Orthopaedic Symposium  
Vail, Colorado, USA, January 29-February 5, 2002
- 19, Nagamine R  
Control of the flexion gap using a modified ligament dependent cut procedure during total knee arthroplasty.  
Deep Flexion Meeting, Athens, Georgia, USA, July 24, 2002
- 20, Nagamine R  
Distal femur should not be cut perpendicular to the mechanical axis during total knee arthroplasty in medial osteoarthritic knees with varus deformity.  
49<sup>th</sup> annual meeting of Orthopaedic Research Society,  
New Orleans, Louisiana , USA, February 2-5, 2003
- 21, Nagamine R  
Anatomic variations of osteoarthritic knees in Japanese patients  
Pan Pacific Orthopaedic Update  
Kapulua, Hawaii, USA, November 1, 2003
- 22, Nagamine R  
Comparison of the configuration of the femoral condyles among five TKA Systems  
Pan Pacific Orthopaedic Update  
Kapulua, Hawaii, USA, November 1, 2003
- 23, Nagamine R, Kondo K, Ikemura S, Sugioka Y  
Knees with patellofemoral disorders had different anatomic configuration of the femoral condyle  
50<sup>th</sup> annual meeting of the Orthopaedic Research Society  
San Francisco, California, USA, March 7-10, 2004
- 24, Nagamine R, Kondo K, Ikemura S, Sugioka Y  
Lateral bowing of the femoral shaft influences the correction angle for high tibial osteotomy.  
50<sup>th</sup> annual meeting of the Orthopaedic Research Society  
San Francisco, California, USA, March 7-10, 2004

- 25, Nagamine R,  
High flexion TKR: fact or fiction? Surgical technique to achieve high performance Australia, April 23, 2004
- 26, Nagamine R,  
Anatomic variation of osteoarthritic knees in Japanese patients  
Contemporary challenges and techniques in total hip and knee arthroplasty.  
Guilin, China, June 3-5, 2004
- 27, Nagamine R,  
Modified ligament dependent-cut procedure for Asian patients  
Contemporary challenges and techniques in total hip and knee arthroplasty  
Guilin, China, June 3-5, 2004
- 28, Nagamine R,  
Configuration of the femoral condyles in TKA  
Contemporary challenges and techniques in total hip and knee arthroplasty  
Guilin, China, June 3-5, 2004
- 29, Nagamine R,  
Anatomical assessment of distal femur and tibia for appropriate alignment to attain deep flexion in TKA  
Contemporary challenges and techniques in total hip and knee arthroplasty  
Guilin, China, June 3-5, 2004
- 30, Nagamine R, Kondo K, Matsuda S  
The effect of each step of the medial soft tissue releases in medial osteoarthritic knees during total knee arthroplasty  
51<sup>th</sup> annual meeting of the Orthopaedic Research Society  
Washington DC, USA, February 20-24, 2005
- 31, Nagamine R, Katai K  
What is the optimal patellar groove configuration of the femoral component in total knee arthroplasty system?  
52<sup>th</sup> annual meeting of the Orthopaedic Research Society  
Chicago, USA, March 19-22, 2006
- 32, Nagamine R,  
Handling your patient ROM expectations  
Global Scorpio Masters 2006  
New York, USA, October 12, 2006
- 33, Nagamine R, Todo M, Sonohata M  
Femoral component should be externally rotated more than 3 degrees in order to obtain optimal flexibility in deep flexion.  
53<sup>rd</sup> Annual Meeting of the Orthopaedic Research Society,  
San Diego, USA, February 11-14, 2007.

- 34, Nagamine R, Todo M  
Failure analysis of nail for fixation of humeral shaft fracture.  
53<sup>rd</sup> Annual Meeting of the Orthopaedic Research Society,  
San Diego, USA, February 11-14, 2007.
- 35, Nagamine R, Kondo K  
Effect of each step of the medial soft tissue releases in medial osteoarthritic knees during TKA.  
AAOS (American Academy of Orthopaedic Surgeons) 2007 annual meeting  
San Diego, USA, February 14-18, 2007
- 36, Nagamine R,  
Handling your patient ROM expectations  
Middle East Scorpio Masters  
Dubai, April 4-5, 2007
- 37, Nagamine R  
Soft tissue balancing-effects of medial releases  
Middle East Scorpio Masters  
Dubai, April 4-5, 2007
- 38, Nagamine R  
Effect of soft tissue release in medial osteoarthritic knees  
1<sup>st</sup> annual meeting of Saudi Orthopaedic Association  
Riyadh, Saudi Arabia, January 19-23, 2008
- 39, Nagamine R  
Anatomic characteristics of the lower extremities in the coronal and axial planes in Asian population  
1<sup>st</sup> annual meeting of Saudi Orthopaedic Association  
Riyadh, Saudi Arabia, January 19-23, 2008
- 40, Nagamine R  
Operative technique in order to obtain deep flexion  
1<sup>st</sup> annual meeting of Saudi Orthopaedic Association  
Riyadh, Saudi Arabia, January 19-23, 2008
- 41, Nagamine R  
New concept of posterior stabilized total knee system  
1<sup>st</sup> annual meeting of Saudi Orthopaedic Association  
Riyadh, Saudi Arabia, January 19-23, 2008
- 42, Todo M, Nagamine R  
Round tibial post reduces contact stress between post and cam in total knee Arthroplasty  
54<sup>th</sup> Annual Meeting of the Orthopaedic Research Society,  
San Francisco, California, USA, February 11-14, 2008.

- 43, Nagamine R  
Operative technique and PS-TKA system for Asian (Japanese) people.  
Meet The Master program, New Delhi, India, September 4, 2008.
- 44, Nagamine R  
Anatomic variations should be considered for the successful primary TKA  
Millennium Arthroplasty, Mumbai, India, September 6, 2008
- 45, Nagamine R  
Analysis of the design of the NRG system  
Millennium Arthroplasty, Mumbai, India, September 6, 2008
- 46, Nishimura Y, Hossain MA, Ariyoshi S, Hirokawa S and Nagamine R  
Assessment of TKA from fluoroscopic images  
The 21<sup>st</sup> Annual Congress of the International Society for Technology in  
Arthroplasty, Seoul, Korea, October 2, 2008
- 47, Takahashi Y, Todo M and Nagamine R  
Plastic deformation analysis of UHMWPE tibial insert of PS type knee  
prosthesis under repeated deep flexional motion  
The 21<sup>st</sup> Annual Congress of the International Society for Technology in  
Arthroplasty, Seoul, Korea, October 2-4, 2008
- 48, Chen W, Nagamine R, Todo M, Kondo K, Hara T and Sugioka Y  
Round tibial post can reduce contact stress in the Post-Cam structure in the  
posterior stabilized total knee arthroplasty  
The 21<sup>st</sup> Annual Congress of the International Society for Technology in  
Arthroplasty, Seoul, Korea, October 2-4, 2008
- 49, Nagamine R, D'Lima D, Patil S, Kondo K, Chen W, Todo M, Hara T and  
Sugioka Y  
Influence of the Cruciate Ligaments excision on the Dynamic Gap Kinematics:  
A Cadaveric Model.  
55<sup>th</sup> Annual Meeting of the Orthopaedic Research Society,  
Las Vegas, Nevada, USA, February 22-25, 2009.
- 50, Nagamine R, Kondo K, Chen W, Todo M, Hara T and Sugioka Y  
Lateral release widens the patellofemoral joint during total knee arthroplasty  
55<sup>th</sup> Annual Meeting of the Orthopaedic Research Society,  
Las Vegas, Nevada, USA, February 22-25, 2009.
- 51, Nagamine R, Kondo K, Chen W, Todo M, Hara T and Sugioka Y  
Shape of the joint gap is different between 90° and 120°  
during total knee arthroplasty  
55<sup>th</sup> Annual Meeting of the Orthopaedic Research Society,  
Las Vegas, Nevada, USA, February 22-25, 2009.

- 52, Nishimura Y, Kihara Y, Mohammad A H, Ariyoshi S, Hirokawa S and Nagamine R  
Assessment of stability and flexibility about knee with prosthesis after  
TKA from fluoroscopic images  
55<sup>th</sup> Annual Meeting of the Orthopaedic Research Society,  
Las Vegas, Nevada, USA, February 22-25, 2009.
- 53, Nagamine R  
Analysis of the design of the NRG system  
Asia Pasific Hip and Knee Symposium  
Kua Lampur, Malaysia, April 25-26, 2009.
- 54, Nagamine R  
A pitfall of the navigation system during TKA in Asian People  
Asia Pasific Hip and Knee Symposium  
Kua Lampur, Malaysia, April 25-26, 2009.
- 55, Nagamine R, D'Lima D, Patil S, Chen W, Kondo K, Todo M, Hara T, Sugioka Y  
Influence of the cruciate ligaments excision on the dynamic gap kinematics:  
A cadaveric model  
The 22<sup>nd</sup> Annual Congress of the International Society for Technology in  
Arthroplasty, Kona, Hawaii, October 22-24, 2009.
- 56, Chen W, Nagamine R, Kondo K, Todo M, Hara T, Sugioka Y  
Shape of joint gap was different between 90° and 120° during total knee  
arthroplasty  
The 22<sup>nd</sup> Annual Congress of the International Society for Technology in  
Arthroplasty, Kona, Hawaii, October 22-24, 2009.
- 57, Nishimura Y, Manabe M, Hossain MA, Ariyoshi S, Hirokawa S, Nagamine R  
Assessment of stability and flexibiity about knee prosthesis after TKA  
from fluoroscopic images  
The 22<sup>nd</sup> Annual Congress of the International Society for Technology in  
Arthroplasty, Kona, Hawaii, October 22-24, 2009.
- 58, Manabe M, Hossain MA, Nishimura Y, Ariyoshi S, Hirokawa S, Nagamine R  
Assessment of kinematics of knee prosthesis after TKA about active  
flexion/extension  
The 22<sup>nd</sup> Annual Congress of the International Society for Technology in  
Arthroplasty, Kona, Hawaii, October 22-24, 2009.
- 59, Todo M, Nakamura S, Hara T, Nagamine R, Sugioka Y, Mawatari M,  
Hotokebuchi T  
Effect of pelvis on the mechanical interaction between femur and femoral stem  
The 22<sup>nd</sup> Annual Congress of the International Society for Technology in  
Arthroplasty, Kona, Hawaii, October 22-24, 2009.

- 60, Todo M, Qian L, Nagamine R, Chen W, Hara T, Sugioka Y  
Comparison of posterior stabilized and cruciate retaining type knee prostheses under flexional motion  
The 22<sup>nd</sup> Annual Congress of the International Society for Technology in Arthroplasty, Kona, Hawaii, October 22-24, 2009.
- 61, Nagamine R, Todo M, Hirokawa S, Nishimura Y, Chen W, Kondo K, Sugioka Y  
3D FEM analysis based on fluoroscopic images in knees with posterior stabilized total knee system  
55<sup>th</sup> Annual Meeting of the Orthopaedic Research Society,  
New Orleans, Louisiana , USA, March 6-9, 2010.
- 62, Hara T, Sugioka Y, Kaminomachi S, Chen W, Kondo K, Nagamine R, Maekawa M  
A new procedure of the spherical osteotomy of the acetabulum for dysplastic hip  
AAOS (American Academy of Orthopaedic Surgeons) 2010 annual meeting  
New Orleans, USA, March 9-13, 2010
- 63, Nagamine R  
Design analysis of NRG system using fluoroscopic analysis and 3D finite element model analysis  
4<sup>th</sup> Asia-pacific Hip and Knee Symposium  
Shanghai, China, June 18-20, 2010
- 64, Nagamine R  
Operative technique in order to obtain deep flexion angle safely  
4<sup>th</sup> Asia-pacific Hip and Knee Symposium  
Shanghai, China, June 18-20, 2010
- 65, Nagamine R  
Design analysis of NRG system using fluoroscopic analysis and 3D finite element model analysis  
Meet The Master program, Changsha, China, June 21, 2010
- 66, Nagamine R  
Operative technique in order to obtain deep flexion angle safely  
Meet The Master program, Changsha, China, June 21, 2010
- 67, Nagamine R  
Design analysis of NRG system using fluoroscopic analysis and 3D finite element model analysis  
Meet The Master program, Changchun, China, June 22, 2010
- 68, Nagamine R  
Operative technique in order to obtain deep flexion angle safely  
Meet The Master program, Changchun, China, June 22, 2010



- 69, Takayama M, Jingushi S, Fukumoto T, Chen W, Nagamine R  
New anatomical measurement of cup inclination using 2-dimensional image  
for total hip arthroplasty  
The 7<sup>th</sup> combined meeting of ORS, October 21<sup>st</sup> -22<sup>nd</sup> , 2010
- 70, Nagamine R, Hirokawa S, Todo M, Chen W, Kondo K, Takayama M  
Flexibility of the implanted knee depends mainly on the patients and partly on  
the prostheses designs  
56<sup>th</sup> Annual Meeting of the Orthopaedic Research Society,  
Long Beach, CA, January 13<sup>th</sup> -16<sup>th</sup> , 2011
- 71, Nagamine R,  
TKA for Asian people  
1<sup>st</sup> China-Japan Joint Forum 2011  
Shanghai, China, March 19<sup>th</sup>, 2011
- 72, Nagamine R, Hirokawa S, Todo M, Chen W, Kondo K  
Flexibility of the implanted knee depends mainly on the patients and partly on  
the prostheses designs  
The 24<sup>th</sup> Annual Congress of the International Society for Technology in  
Arthroplasty, Brugge, Belgium, September 21-23, 2011.
- 73, Nagamine R, Chen W, Todo M  
Assessment of reliability of tensor/balancer during PS-TKA by means of  
fluoroscopic images  
The 13<sup>th</sup> Annual meeting of China Orthopaedic Association  
Beijing, China, December 1<sup>st</sup> to 5<sup>th</sup> 2011
- 74, Chen W, Nagamine R, Todo M  
Flexibility of the implanted knee depends mainly on the patients and partly on  
the prostheses designs  
The 13<sup>th</sup> Annual meeting of China Orthopaedic Association  
Beijing, China, December 1<sup>st</sup> to 5<sup>th</sup> 2011
- 75, Nagamine R  
Effect of each step of medial soft tissue release  
The 5<sup>th</sup> Asian society of operative technique in knee joint arthroplasty  
Osaka, Japan, September 15h 2012
- 76, Nagamine R  
Shape of the joint gap is different between 90° and 120° flexion during  
and after total knee arthroplasty  
15<sup>th</sup> Reunion de Societe Franco-Japonaise d'Orthopadie  
Tokyo, Japan, September 22<sup>nd</sup>, 2012

- 77, Nagamine R, Hirokawa S, Todo M, Weijia C and Kondo K  
Assessment of reliability of tensor/balancer during PS-TKA  
by means of fluoroscopic images  
25<sup>th</sup> International Society of Technology for Arthroplasty  
Sydney, Australia, October 4<sup>th</sup> to 6<sup>th</sup> 2012
- 78, Chen W, Nagamine R  
Gap Angle Changes after Posterior Cruciate Ligament Resection in Medial  
Osteoarthritic Knees  
The 14<sup>th</sup> Annual meeting of China Orthopaedic Association  
Beijing, China, November 2012
- 79, Osano K, Nagamine R  
Configuration of the joint gap is different between 90° and 120° knee flexion  
during total knee arthroplasty  
The 14<sup>th</sup> Annual meeting of China Orthopaedic Association  
Beijing, China, November 2012
- 80, Kawasaki M, Nagamine R,  
Patellar height in 90 degrees flexion before and after posterior stabilized type  
total knee arthroplasty  
58<sup>th</sup> Annual Meeting of the Orthopaedic Research Society,  
San Antonio, TX, January 25<sup>th</sup> -27<sup>th</sup> , 2013
- 81, Nagamine R  
Relation between mal-rotated tibial component and deep knee flexion  
International Congress for Joint Replacement 2013  
Fukuoka, Japan, April 12<sup>th</sup>-13<sup>th</sup> , 2013
- 82, Chen W, Nagamine R, Kondo K, You Y, Osano K  
Difference of Gap Before and After Posterior Cruciate Ligament Resection  
During TKA  
14<sup>th</sup> EFORT Congress,  
Istanbul, Turkey, June 5<sup>th</sup>-8<sup>th</sup> , 2013
- 83, Nagamine R  
Clinical results of Scorpio NRG  
Stryker symposium  
Busan, Korea, September 6<sup>th</sup> , 2013
- 84, Nagamine R  
Difficult TKA cases  
Stryker symposium  
Busan, Korea, September 6<sup>th</sup> , 2013

- 85, Nagamine R  
Varus knee  
Stryker symposium  
Busan, Korea, September 6th , 2013
- 86, Chen W, Nagamine R  
Difference of Gap Before and After Posterior Cruciate Ligament Substitution  
During TKA  
26<sup>th</sup> International Society for Technology in Arthroplasty  
Palm Beach, Florida, USA, October 16-19, 2013
- 87, Chen W, Nagamine R  
Elbow Arthroplasty using Inter-positional JK Membrane in the Era of  
Biologics: A Report of Two Cases  
26<sup>th</sup> International Society for Technology in Arthroplasty  
Palm Beach, Florida, USA, October 16-19, 2013
- 88, Kawasaki M, Nagamine R  
Patella Height before and after Posterior Stabilized Type Total Knee  
Arthroplasty.  
26<sup>th</sup> International Society for Technology in Arthroplasty  
Palm Beach, Florida, USA, October 16-19, 2013
- 89, Nagamine R  
Sizes of Total Knee Arthroplasty Components Differ between Sexes, Diseases,  
and Operative Techniques  
26<sup>th</sup> International Society for Technology in Arthroplasty  
Palm Beach, Florida, USA, October 16-19, 2013
- 90, Nagamine R  
To obtain deep knee flexion safely in Asian patients  
Annual meeting of Thailand hip and knee Society  
Nan, Thailand, November 21<sup>st</sup>, 2013
- 91, Nagamine R, Kanayama R, Chen W, Patil S, D'Lima D  
Effect of Sequential Medial Soft Tissue Release on Knee Joint Balance  
59<sup>th</sup> Annual Meeting of the Orthopaedic Research Society,  
New Orleans, LA, March 15<sup>th</sup> -18<sup>th</sup> , 2014
- 92, Chen W and Nagamine R  
Lateral Release Widens The Patellofemoral Joint During TKA  
15th EFORT London Congress  
London, United Kingdom, June, 4<sup>th</sup> – 6<sup>th</sup>, 2014

- 93, Nagamine R  
Reliability of a Gap Control Technique With the Tensor/Balancer During PS-TKA  
International Congress for Joint Replacement 2014  
WAIKOLOA, Hawaii, July 16<sup>th</sup>-19<sup>th</sup>, 2014
- 94, Osano K, Nagamine R  
The Effect of Malrotation of Tibial Component of TKA on Tibial Polyethylene Insert Using a Finite Element Analysis  
International Congress for Joint Replacement 2014  
WAIKOLOA, Hawaii, July 16<sup>th</sup>-19<sup>th</sup>, 2014
- 95, Nagamine R  
Alignment & Rotational Axis in TKA  
Asia Pacific Knee Society 2014  
Phuket, Thailand, August 9<sup>th</sup>-11<sup>th</sup>, 2014
- 96, Nagamine R  
Seasonal Change may influence Activity of Rheumatoid Arthritis  
American College of Rheumatology,  
Boston, United States of America, November 15<sup>th</sup> -19<sup>th</sup>, 2014
- 97, Kawasaki M, Nagamine R, Osano K, Tanaka K, M, Todo M, Sakai A,  
The Position of Components using the Modified Gap-Balancing Technique after Posterior Stabilized Type Total Knee Arthroplasty.  
60th Annual Meeting of the Orthopaedic Research Society,  
Las Vegas, NV, March 28<sup>th</sup> -31<sup>st</sup>, 2015
- 98, Nagamine R, Kawasaki M, Todo M, Chen W  
Intra-operative Procedures for Factors Influencing Flexion Angle Before and After PS-TKA  
60th Annual Meeting of the Orthopaedic Research Society,  
Las Vegas, NV, March 28<sup>th</sup> -31<sup>st</sup>, 2015
- 99, Osano K, Nagamine R, Todo M, Kawasaki M  
The Effect of Malrotation of the Tibial Component of Total Knee Arthroplasty on the Tibial Insert Comparing Different Prosthesis: A Finite Element Analysis  
60th Annual Meeting of the Orthopaedic Research Society,  
Las Vegas, NV, March 28<sup>th</sup> -31<sup>st</sup>, 2015
- 100, Takashiba K, Uehara G, Nagamine R  
Where Is The Appropriate Proximal Reference Point Of The Tibia In Total Knee Arthroplasty?  
60th Annual Meeting of the Orthopaedic Research Society,  
Las Vegas, NV, March 28<sup>th</sup> -31<sup>st</sup>, 2015

- 101, Nagamine R  
Preoperative conditions and intraoperative procedures for factors influencing flexion angle before and after PS-TKA  
2nd Annual Pan Pacific Orthopaedic Congress  
Kona, Hawaii, July 22 - 25<sup>th</sup>, 2015
- 102, Nagamine R  
Evaluation of Design of TKA Systems by Means of 3 Dimensional Finite Element Model Analysis and Fluoroscopic Image Analysis  
2<sup>nd</sup> Annual World Congress of Orthopaedics  
Xian, China, September 24 – 26<sup>th</sup> , 2015
- 103, Nagamine R  
Congress president  
The 7th annual meeting of Asia-Pacific Organization of Knee Arthroplasty  
Fukuoka Japan, November 20<sup>th</sup>-21<sup>st</sup>, 2015
- 104, Nagamine R, Kawasaki M, Chen W, Osano K, Takayama M and Todo M  
Medial Soft Tissue Releases Reduce External Rotation Angle of the Femoral Component during PS-TKA with Modified Gap Technique  
61st Annual Meeting of the Orthopaedic Research Society,  
Orlando, FL, March 5<sup>th</sup> -8<sup>th</sup>, 2016
- 105, NagamineR, Kawasaki M, Chen W, Osano K, Takayama M, Kaneyama R, Yamamoto K  
The Hip-knee-ankle Angle Underestimates Varus Deformity in Knees with Medial Shift of the Tibial Articular Surface, and Influences Coronal Alignment of the Lower Extremity in Total Knee Arthroplasty  
61st Annual Meeting of the Orthopaedic Research Society,  
Orlando, FL, March 5<sup>th</sup> -8<sup>th</sup>, 2016
- 106, Kawasaki M, Sabanai K, Okada Y, Mori T, Yoshioka T, Okimoto N, Nagamine R, Sakai A  
Difference of Soft Tissue Balance and Joint Gap Distance between the Measured Resection Technique and the Modified Gap-Balancing Technique in Total Knee Arthroplasty  
61st Annual Meeting of the Orthopaedic Research Society,  
Orlando, FL, March 5<sup>th</sup> -8<sup>th</sup>, 2016
- 107, Nagamine R  
How to achieve alignment and rotational axis during TKA  
Thai Hip and Knee Society 2016  
Bangkok, Thai, August 11-13<sup>th</sup>, 2016
- 108, Nagamine R  
How to correct anatomic variations in Asian patients during TKA  
Thai Hip and Knee Society 2016

Bangkok, Thai, August 11-13th, 2016

- 109, Nagamine R  
Modified gap control technique for Asian patients  
Thai Hip and Knee Society 2016  
Bangkok, Thai, August 11-13th, 2016
- 110, Nagamine R, Chen W, Todo M, Osano K, Takayama M, Kawasaki M, Kaneyama R  
Coronal Alignment of the Varus Knees With Medial Shift of the Tibial Articular Surface  
International Society for technology in arthroplasty, 29th Annual Congress, Boston, USA, October 5-8, 2016
- 111, Chen W, Nagamine R, Osano K, Takayama M, Todo M  
Medial Soft Tissue Releases Reduce External Rotation Angle of the Femoral Component During PS-TKA With Modified Gap Technique  
International Society for technology in arthroplasty, 29th Annual Congress, Boston, USA, October 5-8, 2016
- 112, Nagamine R  
Current concepts in Asian TKA  
The 8<sup>th</sup> Asia-Pacific Knee Society  
Yokohama, Japan, October 27-28, 2016
- 113, Nagamine R, Ma Y, Kawasaki M, Chen W, Osano K, Takayama M, Todo M, Yamamoto K  
Varus knees involve medial shift of the tibial articular surface, and kinematic alignment induces high stress in medial tibial condyle in varus knees  
62nd Annual Meeting of the Orthopaedic Research Society, San Diego, CA, March 19th -22nd , 2017
- 114, Kawasaki M, Nagamine R, Takayama M, Sabanai K, Motojima Y, Mori T, Yoshioka T, Okimoto N, Sakai A  
The mechanical axis of the tibia is different from the anatomical axis of the tibia in the analysis of 3D-CT, and influences coronal alignment of the lower extremity in the total knee arthroplasty.  
62nd Annual Meeting of the Orthopaedic Research Society, San Diego, CA, March 19th -22<sup>nd</sup> , 2017
- 115, Osano K, Akiyama T, Nakamura S, Nagamine R, Takashiba K  
Factors Affecting the Postoperative Malalignment in an Opening-Wedge High Tibial Osteotomy  
62nd Annual Meeting of the Orthopaedic Research Society, San Diego, CA, March 19th -22<sup>nd</sup> , 2017

- 116, Kaneyama R, Higashi H, Yoshii H, Shiratsuchi H, Oinuma K, Miura Y, Tamaki T, Nagamine R.  
The Influence of Thigh Weight on the Flexion Gap in Total Knee Arthroplasty: A Cadaveric Study  
62nd Annual Meeting of the Orthopaedic Research Society,  
San Diego, CA, March 19th -22nd , 2017
- 117, Maeyama A, Hagio T, Osawa T, Moriyama S, Osano K, Nagamine R, Saeki K, Kiyama T, Yamamoto T  
The effect of fibular osteotomy on contact stress in the knee joint  
2017 ISAKOS Biennial Congress  
Shanghai, China, June 4th-6th, 2017
- 118, Nagamine R, Chen W  
Concept of a custom-made implant for knees with anatomic variations  
30<sup>th</sup> International Society of Technology for Arthroplasty  
Seoul, Korea, September 20<sup>th</sup> to 23<sup>rd</sup>, 2017
- 119, Nagamine R  
Measured vs. Gap  
40th Taiwan Orthopedic Association Annual Meeting  
Taipei, Taiwan, October 27th to 29th, 2017.
- 120, Nagamine R, Chen W  
The medial shift of the tibial articular surface is one factor of medial osteoarthritis of the knee.  
ACR annual meeting, 2177  
San Diego, USA, November 4th to 8th, 2017
- 121, Nagamine R, Kawasaki M, Chen W, Osano K, Todo M, Maeyama A, Yamamoto K, Suguro T  
Shape of the tibia and the fibula in cases with medial osteoarthritis of the knees  
63<sup>rd</sup> Annual Meeting of the Orthopaedic Research Society,  
New Orleans, LA, March 10<sup>th</sup>-13<sup>th</sup>, 2018
- 122, Kawasaki M, Kaneyama R, Sabanai K, Hirano F, Fujitani T, Yoshioka T, Okimoto N, Nagamine R, Sakai A.  
Component Gap Control in Posterior-stabilized Total Knee Arthroplasty  
63<sup>rd</sup> Annual Meeting of the Orthopaedic Research Society,  
New Orleans, LA, March 10th-13th, 2018
- 123, Fukunaga M, Kajiwara T, Ito K, Nagamine R.  
Model analysis of medial/lateral contact balance of patellofemoral joint.  
63<sup>rd</sup> Annual Meeting of the Orthopaedic Research Society,  
New Orleans, LA, March 10th-13th, 2018

- 124, Nagamine R  
 What factor decides the posterior slope angle of the tibial articular surface?  
 The 10<sup>th</sup> Asia-Pacific Organization of knee arthroplasty symposium  
 Seoul, Korea, June 22<sup>nd</sup>, 2018
- 125, Nagamine R, Kawasaki M, Chen W, Todo M, Ma Y, Suguro T.  
 What factor decides the posterior slope angle of the tibial articular surface?  
 31st Annual Congress of ISTA (International Society for Technology in  
 Arthroplasty)  
 London, UK, October 10<sup>th</sup> -13<sup>th</sup>, 2018
- 126, Nagamine R  
 New PS TKA for Thai and Japanese  
 The 40th Annual Meeting of The Royal college of Orthopaedic Surgeons of  
 Thailand (RCOST) and the Thai Orthopaedic Association (TOA)  
 Pattaya, Chonburi Province, Thailand, October 20th-22nd, 2018
- 127, Nagamine R  
 The Posterior slope of the tibia articular surface is created by the posterior  
 rotation of the tibial condyle  
 The 40th Annual Meeting of The Royal college of Orthopaedic Surgeons of  
 Thailand (RCOST) and the Thai Orthopaedic Association (TOA)  
 Pattaya, Chonburi Province, Thailand, October 20th-22nd, 2018
- 128, Nagamine R  
 Shape of the proximal tibia is different between right and left knees  
 The 40th Annual Meeting of The Royal college of Orthopaedic Surgeons of  
 Thailand (RCOST) and the Thai Orthopaedic Association (TOA)  
 Pattaya, Chonburi Province, Thailand, October 20th-22nd, 2018
- 129, Nagamine R  
 What factor decides the posterior slope angle of the tibia articular surface?  
 The 6th Arthroplasty Society in Asia Annual Meeting  
 Shanghai, China, November 9th-10th, 2018
- 130, Kawasaki M, Kaneyama R, Sabanai K, Suzuki H, Fujitani T, Yoshioka T,  
 Okimoto N, Nagamine R, Sakai A.  
 The Bone Gap does not estimate The Component Gap during Posterior-  
 stabilized Total Knee Arthroplasty  
 64th Annual Meeting of the Orthopaedic Research Society,  
 Austin, Texas, February 2<sup>nd</sup>-5th, 2019
- 131, Nagamine R, Kim K, Kawasaki M, Chen W, Ma Y, Sakai A, Todo M, Suguro T.  
 The Posterior Tibial Slope is Created by the Posterior Rotation of the Tibial  
 Condyles  
 64th Annual Meeting of the Orthopaedic Research Society,  
 Austin, Texas, February 2<sup>nd</sup>-5th, 2019



- 132, Nagamine R, Kim K, Kawasaki M, Chen W, Ma Y, Sakai A, Suguro T.  
Configuration of the Tibial Articular Surface is Different between Right and Left Knees  
2019 ICORS/CORS & COA Annual Meetings  
Montréal, Canada, June 19-22, 2019
- 133, Nagamine R  
CR or PS? Importance of PCL  
The 41st Annual Meeting of the Royal College of Orthopaedic Surgeons of Thailand (RCOST) and Thai Orthopaedic Association,  
Pattaya, Thailand, October 22-24, 2019
- 134, Nagamine R  
Concept and clinical results of the new PS- TKA system for Thai and Japanese  
The 41st Annual Meeting of the Royal College of Orthopaedic Surgeons of Thailand (RCOST) and Thai Orthopaedic Association,  
Pattaya, Thailand, October 22-24, 2019
- 135, Nagamine R, Kim K, Kawasaki M, Chen W, MaY, Sakai A, Suguro T.  
Influence of ageing, physique and bone metabolism to configuration of the femoral shaft and tibial articular surface.  
65th Annual Meeting of the Orthopaedic Research Society,  
Phoenix, Arizona, February 2nd-5th, 2020
- 136, Chen W, Nagamine R, Kawasaki M.  
Posterior rotation of tibial articular surface influences the positions of femoral and tibial components during total knee arthroplasty.  
65th Annual Meeting of the Orthopaedic Research Society,  
Phoenix, Arizona, February 2nd-5th, 2020
- 137, Nagamine R, Kawasaki M, Kim KL, Sakai A, Suguro T  
Posterior Rotation of the Tibial Condyle Influences Insall-Salvati Ratio  
66th Annual Meeting of the Orthopaedic Research Society,  
Long Beach, California, February 12th-16th, 2021, Virtual meeting
- 138, Nagamine R, Kawasaki M, Kim KL, Sakai A, Suguro T  
Sagittal Alignment of Diaphysis, Metaphysis and Epiphysis of the Distal Femur.  
66th Annual Meeting of the Orthopaedic Research Society,  
Long Beach, California, February 12th-16th, 2021, Virtual meeting